



ORDER FORM
O4 FLOW - EASY - MONO

January 2026

Markenweg 9
7051 HS Varsseveld
The Netherlands
info@o4wheelchairs.com
+31 (0)315 396 900

DETAILS **DEALER**

Dealer name

Date of fitting

Street and housenumber

Delivery address

Contact person

E-mail address

Phone number

DETAILS **GEBRUIKER**

First name

Last name

E-mail address

Street and house number


Zip code

City

Phone number




PRODUCT DIMENSIONS



A	Seat depth:	Measured from the center of the back hinge to the front of the seat tube.
B	Back height:	Measured from the bottom of the hinge to the top of the backrest.
C	Seat width:	Inside of clothing protectors (mudguard/side shield).
D	Total width:	Measured at the widest point of the wheelchair.
E	Total length:	Measured at the longest part of the wheelchair.
F	Front seat height:	Measured from the floor to the center of the top of the seat tube.
G	Rear seat height:	Measured from the floor to the bottom of the hinge.
J	Frame length:	Measured from the center of the front wheel to the center of the rear wheel.
U	Lower leg length:	Measured from the footplate to the top of the seat tube.
V	Armrest height:	Measured from the top of the armrest to the seat.
W	Balance setting:	Difference between the center of the back hinge and the center of the rear wheel.
X	Camber angle:	Angle of the rear wheel relative to the vertical.
Y	Frame shape:	U-shape, V8, or Abduction.

DIMENSIONS



Hip width -H- (cm)

Upper leg length -K- (cm)

Lower leg length -L- (cm)

Elbow height -M- (cm)

User weight in kg


Seat height front (F) cm
Standard = 53 cm

Seat height rear (G) cm
Standard = 49 cm
Alleen mogelijk bij Original

TILTING SENSITIVITY

The more pressure on the rear wheels the less rolling resistance, so the lighter you roll. Tipping sensitivity is high once the pressure on the rear wheels increases.

WHEEL BALANCE SETTING -W- (CM)
Standard = 8 cm



FRAMES AND SEATS



FLOW

The FLOW frame is very rigid, offering excellent stability. It features a fixed footplate, providing optimal support for your feet.

Furthermore, the footplate can be conveniently folded away when needed, for maximum versatility and ease of use.



FLOW MONO

The FLOW Mono frame features a stable, weight-optimized frame construction. This frame type offers a pleasantly smooth ride thanks to its single-tube design, ensuring a truly enjoyable ride.

Combined with the ergonomic Flow Seat System, this frame offers exceptional comfort. We recommend combining this frame with a fixed footplate for optimal support and stability.



FLOW EASY

Physical relaxation and pain-free mobility. That's what you want in your wheelchair. That's exactly what our FLOW Easy frame offers. You'll no longer feel uncomfortable in your wheelchair.

With the option of standard or comfort leg rests that are easily swiveled and removable, this frame provides both functionality and comfort. This expands your daily possibilities and allows you to undertake more activities.



ORIGINAL

The Original Seat features an easily adjustable seat angle that allows you to find the optimal seating position. Seating comfort is achieved thanks to the ergonomic Flow Seat System.

This highly regarded seating system is securely attached to the box frame with a four-point mounting. This clamping system allows you to infinitely adjust the position of the saddle in relation to the rear wheels. This allows you to change the wheelchair's balance and adjust its ease of movement.



ACTIVE

For those looking for an active sitting position, our active chair is the ideal choice. The key feature of the active chair is its unique seat angle adjustment.

Both the backrest and seat angles of the active chair can be adjusted independently using the controls on the left and right sides while sitting in the wheelchair. This allows you to effortlessly change positions throughout the day, reach further, and perform more active activities.



RELAX

The Relax seat provides good and reliable postural support at all times and during every movement. This type of seat allows you to use your energy up to 30% more efficiently. The seat angle and backrest of the Relax seat can be adjusted independently during the ride.

In addition, the Relax seat has an additional torsion spring module that makes it easier to stand up and provides good support for a relaxed and comfortable riding experience.

FLOW SERIES

Combinations possible

POSSIBLE COMBINATIONS PER BODY WEIGHT

Up to 100 kg

Flow Mono Original
Flow Mono Active

Up to 120 kg

(150 kg with heavy duty frame)

Flow Easy Relax

Up to 120 kg

(160 kg with heavy duty frame)

Flow Original
Flow Active
Flow Easy Active

Heavy duty

Reinforced frame
for user weight from 120 kg

Price on request
Art. 800-40xxx

FRAMES



FLOW F

€ 3180

Art. 270-00000



FLOW MONO FM

€ 3064

Art. 260-00000

Not possible with Relax seat

Not possible with handbike



FLOW EASY FE

€ 3295

Art. 300-00000

SEATS



ORIGINAL O

€ 1502

Art. 100-00000



ACTIVE A

€ 1705

Art. 131-00000



RELAX R

€ 1908

Art. 130-00000

Not possible with FLOW Mono

POSITION CONTROL SEAT ANGLE ADJUSTER

Left on frame

Right on frame

Left under
arm rest **O**
R

Right under
arm rest **O**
R


WHEELCHAIR DIMENSIONS

SEAT WIDTH -C- (CM)

29	46,5
31,5	49
34	51,5
36,5	54
39	56,5
41,5	59
44	

FRAMESHAPE -Y-


F
FM
FE



U-shape
Standard
Foot space = seat width - 10 cm


Art: 800-40210

F
FM



V8
€ 226
Foot space = seat width - 15 cm
Available from seat width 39 cm
Art: 800-40220

F
FM



Abductie
€ 458
Foot space = seat width - 5 cm

Art: 800-40200

FRAME LENGTH -J- (CM)

34	recommended at 37.5 to 45 seat depth
40	recommended at 42.5 to 50 cm seat depth
45	recommended at 45 to 50 cm seat depth

TAXI FIXATION **F** **FE**

€ 342
4 attachment points welded to the frame.
Suitable for securing the wheelchair using 4-point strap system, according to code VVR, type B.
Art: 200-20021

FRAME COLOR

Matt black RAL 9005 - standard

High gloss white RAL 9016 + € 302


High gloss anthracite RAL 7021 + € 302

High gloss red RAL 3003 + € 302

High gloss blue RAL 5002 + € 302

Specify UNI-Color RAL color and matt/
high gloss

Price on request



CAMBER ANGLE -X- (DEGREES)


Angle at which the wheels are in relation
to the vertical position

0 degrees possible for electric wheels

3 degrees

6 degrees

*Please note! Camber angle makes the wheelchair wider [D].
This can be inconvenient with already wide wheelchairs for



FOOT SUPPORT

⚠ Keep in mind here any use of a seat cushion and/or shoe sole height.



Curved
Standard
Art: 200-38100



Rectangular
Standard
Art: 200-38200




Foldable 1-piece
U-shape: from seat width 39 cm
V8: from seat width 44 cm
€ 272 | Art: 200-38300

Position of leg support

Left

Right

Onderbeenlengte
instelbereik
(bij laagste zithoogte voor
van 47 cm met 24 inch
aandrijfwielen)



Leg support comfort

Left € 284 | Art: 800-31010

Right € 284 | Art: 800-31020



Foldable and removable 2-piece

Standard
Art: 800-30000

Color foot support

Frame color

Black


FOOT PLATE



Standard (23x12 cm)
Aluminium
Standard
Art: 800 - 38009



Wide (29x12 cm)
Aluminium
U-shape: from seat width 39 cm
V8: from seat width 44 cm
€ 112
Art: 800 - 38010



Deep (23x19 cm)
Aluminium
€ 112
Art: 800 - 38040

Custom
On commission after drawing

Aluminium

SEAT DEPTH -A- (CM)

37,5	45
40	47,5
42,5	50

SEAT



Flat seat

If the user uses a seat cushion, a flat seat
is required in combination with R1.5 hinge.
€ 406
Art: 100-142 xx



Contour ergonomic seat

€ 683
Art: 100-122 xx

BACKREST HINGE

Basic

Back fold down and back angle mechanically adjustable

Adjustment range 85° - 115°

Standard

Art: 100-38000

RCA 1.0

Back adjuster centered

€ 1069

Art: 100-32000

RCA 1.5

i.c.w. external cushion

€ 1069

Art: 100-36000

REMOTE CONTINUOUS ADJUSTABLE

Adjustable by user in 3° increments

Adjustment range 0° - 85° - 115°

POSITION RCA CONTROL BACK ADJUSTER

Left on frame

Left under armrest

Under seat

Right on frame

Right under armrest

BACKREST SHAPE


External backs are possible on request, such as V-trak or Tarta.



Shape straight

Standard


Art: 100-225xx



Ergonomic, anatomic from back height 40 cm

€ 516

Art: 100-200xx



Backrest for women ergonomic, anatomic from back height 40 cm

Narrow top is for people with narrow shoulders relative to their seat width.

€ 665

Art: 100-220xx

Tarta Custom

V-Trak Custom

BACKREST HEIGHT -B- (CM)

35

40

45

50

60

BACK SUPPORT

Choose the color of your backrest cover here



Red



Black



Blue



Yellow



Teal

Choose the color of your replacement backrest cover here + € 111



Red



Black



Blue



Yellow



Teal

WHEEL DIAMETER (INCH)

24" + 1 - (25-540)

Standard

Art: 800-41024

25" - (25-559)

€ 139

Art: 800-41025

26" + 2 - (25 - 590)

€ 139

Art: 800-41026

REAR WHEELS

With Quick Release

For electric wheels: indicate which brand so frame can be considered.



Standard set

Standard

Art: 800-41024



Drum brake set

Incl. Frame Adjustment.

Standard with black aluminum hoops.

24 inch 26 inch

€ 1301 | Art: 991 - 42xxx

Push handle strongly recommended.



Wheel set reinforced

*Mandatory at Heavy Duty version

€ 458

Art: 991 - 2 X 202



Lightweight
Spinergy-wheel set

€ 1613

Art: 991 - 43xxx

PREPARATION WHEELS WITH SUPPORT

E-fix E35

Alber drive is technically possible, recommended frame modification

€ 121

Delivery of wheelset via dealer.

E-motion

Alber drive is technically possible, recommended frame modification

€ 121

Delivery of wheelset via dealer.

AAT SOLO

No reinforcement or modification to the frame is required

TYRE TYPE

Colors on request



Schwalbe Marathon
Plus Evolution
or similar quality

Standard

Art: 991-67 x 01



Massive-PU

€ 99

Art: 991-67 x 11



Schwalbe
Right Run Red

€ 0

Art: 991-67 X 21



Schwalbe
Right Run Blue

€ 0

Art: 991-67 X 22



Schwalbe
Right Run Grey

€ 0

Art: 991-67 X 23

PUSHRIMS



Aluminium
Standard
Art: 800-62x11



Stainless steel
€ 284
Art: 800-62x12



Tetra-Gripp
Grip strengthening hoops
€ 498
Art: 800-62x01



Para-Gripp
€ 498
Art: 800-62x02



Gekko
CarboLife
(Per piece) € 289
Art: 991 : 62xxx




Curve
CarboLife
(Per piece € 289
Art: 991 : 62xxx
Curve L
CarboLife
(Per piece) € 289
Art: 991 : 62xxx



Curve Tetra
CarboLife
(Per piece) € 289
Art: 991 : 62xxx
Curve L Tetra
CarboLife
(Per piece) € 289
Art: 991 : 62xxx

SPOKE GUARDS



Spoke guards #1
Transparant
€ 110 | Art: 991-60402

O4 print green

O4 print silver



Spoke guards #2
Transparant
€ 110 | Art: 991-60402

O4 print green

O4 print silver



Spoke guards #3
Transparant
€ 110 | Art: 991-60402

O4 print green

O4 print silver



Spoke guards #4
Transparant
€ 132 | Art: 991-60401

Without print

BRAKES



Pull brake Standard

Art (Left): 800-47103

Art (Right): 800-47203



Push brake Standard

Art (Left): 800-47104

Art (Right): 800-47204



Long push brake, foldable
€ 88

Art (Left): 800-07105

Art (Right): 800-07205



One hand brake

Left

Art: 800-47110

Right

€ 434



Actiefrem

€ 180

Art (Left): 800-47106

Art (Right): 800-47206

FRONT WHEELS



Hard 4" Synthetic

€ 76

Art: 800 - 04002



Hard 4" Aluminium

€ 168

Art: 800 - 04003



Soft 4" Synthetic

€ 64

Art: 800 - 04001



SuperSoft 4" Synthetic

€ 284

Art: 800 - 04004



Hard 5" Synthetic

€ 76

Art: 800 - 05002



Hard 5" Aluminium

€ 168

Art: 800 - 05003



Soft 5" Synthetic

€ 78

Art: 800 - 05001



SuperSoft 5" Synthetic

Standard

Art: 800 - 05004



Soft 6" Synthetic

€ 64

Art: 800 - 06001



SuperSoft 6" Synthetic

€ 323

Art: 800 - 06004

ANTI TIP



Anti tip per set
(Telescopic height adjustable)
€ 360
Art (Left): 800 - 44000
Art (Right): 800 - 45000



Swing away Anti tip
per set
(Telescopic height adjustable)
€ 522
Art: 992 - 15001



Tip assist - fixed
€ 134
Art (Left): 800-43000
Art (Right): 800-43500



Walking stick holder
€ 122
Art (Left): 800-43010
Art (Right): 800-43510

SIDE GUARDS



Side shield removable
without splash edge
only in combination with armrest
€ 145
Art: 100 - 96030



Side shield fixed
without splash edge
Aluminum
€ 145
Art: 100 - 96040



Side shield fixed with
splash edge
Carbon
€ 434
Art: 100 - 96010



Holes in carbon side
shield for armrests.
*Mandatory in combination
with armrests.
€ 215
Art: 100 - 96060

ARM SUPPORT



Height adjustable
armrest, removable,
fixed angle with
Standard padding*
€ 434
Art: 100 - 96110

*Mounting at side shield
with mudguard, the side
shields are adapted.
(carbon only, extra cost).



Hemiplegia arm pad
(Per piece) € 272
Art (Left): 100 - 96140
Art (Right): 100 - 96240

Position of armrest

Left Right



Armpolstering long
36x5,5cm
10 cm longer than standard
(Per piece) € 112
Art (Left): 100 - 96180
Art (Right): 100 - 96280

Position of armrest

Left Right

Custom
Based on sketch or
specifications
(Per piece) € 299
Art (Left): 100 - 96130
Art (Right): 100 - 96230

Position of armrest

Left Right

PUSH BAR AND HEADREST



Push bar

Height adjustable and removable

€ 289

Art: 100-210xxx



Hoofdsteen

Height adjustable

€ 289

Art: 100-230xxx



Push bar + headrest combination

Height adjustable and removable

€ 550

Art: 100-216xxx

ACCESSORIES



1 piece

Incontinence cover

€ 138

Art: 100 - 112xxx



1 piece

2 pieces

Lumbar strap 50 mm

1 piece: € 87

Art: 100 - 46001

2 pieces: € 174

Art: 100 - 46002



1 piece

2 pieces

Lumbar strap 100 mm

1 piece: € 87

Art: 100 - 46011

2 pieces: € 174

Art: 100 - 46012



Calf strap

€ 41

Art: 800 - 01001



Positioning belt

€ 112

Art: 800-01002



Bag hook on the back

€ 84

Art: 100-47000



Laptop bag accessory

€ 272

Art: 992-04011



Cup holder

€ 77

Art: 100-97015

1 cup

2 cups



Extra seat cover

€ 145

Art: 100-111xxx

Inflatable lumbar pillow

€ 82

Art: 100-46105

FITTING / SHIPPING COSTS

Shipping cost complete wheelchair; ex works € 76,50

NOTES

Room for notes or additions